Series 1000SS

A M E S

Detector Check Valves

Sizes: 4" - 10" (100 - 250mm)

LEAD FREE*

Features

- · Lightest weight in the industry
- Designed to meet NSF standards
- Check assemblies are based on popular modular design that has been proved in field use for over 15 years
- Lifting rings standard on 8" & 10" (200 & 250mm) devices for ease of installation
- No special tools required for servicing
- Optional bypass assembly available
- Approved for mounting in horizontal/ vertical positions
- Custom tap sizes available upon request
- Non-corrosive stainless steel construction

Available Models

Standard units are less Bypass Assembly. With Bypass specify Suffix:

CFM - cubic feet per minute meter


GPM - gallons per minute meter

LM - less meter

Materials

Body: 300 Series stainless steel Knuckle Joint Assembly: stainless steel linkage Cam-Check Assembly: stainless steel linkage

*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.



Series 1000SS Detector Check Valves detect any leakage or unauthorized use of water from fire or automatic sprinkler systems. The valve also isolates water from the public water mainline. During times of minimal water flow, the valve clapper remains closed so that the water flows through a bypass meter (optional). When fire flow is required, the water demand will open the clapper to all full water flow. The Series 1000SS feature Lead Free* construction to comply with Lead Free* installation requirements.

Specifications

A Detector Check Valve shall be installed on fire protection or automatic sprinkler systems when connected to the potable water supply. Lead Free* Detector Check Valves shall be constructed using Lead Free* materials. It shall comply with state codes and standards, where applicable, requiring reduced lead content. The valve body shall be formed, welded units, in 300 series stainless steel. The valve shall be hydrostatically tested in excess of 700psi (48 bar). Valve construction shall eliminate any possibility of defects such as sand pits and blow holes which may occur in casting*. All linkage parts shall be stainless steel. Each valve shall be individually tested before shipping. All 8" and 10" (200 and 250mm) valve sizes shall be equipped with lifting lugs. Valve shall be Ames Company Series 1000SS.

*The 4" and 6" valves utilize the patented Cam-Check Assembly.
The 8" and 10" valves utilize a spring loaded Knuckle Joint Assembly.

Job Name	Contractor
Job Location	Approval
Engineer	Contractor's P.O. No.
Approval	Representative

Ames product specifications in U.S. customary units and metric are approximate and are provided for reference only. For precise measurements, please contact Ames Technical Service. Ames reserves the right to change or modify product design, construction, specifications, or materials without prior notice and without incurring any obligation to make such changes and modifications on Ames products previously or subsequently sold

Pressure – Temperature

Maximum working pressure: 175psi (12.1 bar)
Temperature Range: 33°F – 110°F (0.5°C – 43°C)


Approvals




Flange bolt pattern and hole diameter in accordance with ANSI B16.5 Class 125/AWWA C207 Class D


Body nameplate provides nominal size, direction of flow, PSI rating, year of manufacture and approval marks


Dimensions – Weights








1000SS DCV 8" & 10"














*Approximate head loss at the UL rated flow.

SIZ	SIZE (DN) DIMENSIONS WEIGHT													IGHT							
		Α		, В	В С		D		E		F		G		, н		Less Bypass		w/Bypass		
in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	lb.	kg	lb.	kg
4	100	16½	419	9	229	1111/2	292	121/8	327	½ NPT	13	41/2	114	5/8	16	8	203	30	13.6	35	15.8
6	150	221/2	559	11	279	13½	343	17	432	3/4 NPT	19	5½	140	11/16	17	10½	267	65	29.4	70	31.7
8	200	261/2	665	13½	343	15½	394	211/4	540	2 NPT	51	63/4	171	11/16	17	121/4	311	143	64.8	153	69.3
10	250	36	914	16	406	171/2	445	281/4	718	2 NPT	51	8	203	11/16	17	141/2	368	163	73.9	173	78.4



NOTICE

Inquire with governing authorities for local installation requirements