

Code

Size

CAMLOCKS

For LDPE, Non Toxic Tubing and Washdown hoses

Camlock guide is available in the resources section of the website Camlocks- Choosing the correct Camlock

CAMLOCK POLYPROPYLENE FEMALE THREADED ADAPTOR

CPA20	20mm
CPA25	25mm
CPA32	32mm
CPA40	40mm
CPA50	50mm
CPA65	65mm
CPA80	80mm
CPA100	100mm



CAMLOCK POLYPROPYLENE MALE THREAD ADAPTOR

CPF20	20mm
CPF25	25mm
CPF32	32mm
CPF40	40mm
CPF50	50mm
CPF65	65mm
CPF80	80mm
CPF100	100mm



CAMLOCK POLYPROPYLENE HOSE SHANK ADAPTOR

CPE20	20mm
CPE25	25mm
CPE32	32mm
CPE40	40mm
CPE50	50mm
CPE65	65mm
CPE80	80mm



CAMLOCK POLYPROPYLENE MALE THREADED COUPLER

CPB20	20mm
CPB25	25mm
CPB32	32mm
CPB40	40mm
CPB50	50mm
CPB65	65mm
CPB80	80mm
CPB100	100mm



Code

Size

CAMLOCK POLYPROPYLENE HOSE SHANK COUPLER

CPC20	20mm
CPC25	25mm
CPC32	32mm
CPC40	40mm
CPC50	50mm
CPC65	65mm
CPC80	80mm
CPC100	100mm


CAMLOCK POLYPROPYLENE FEMALE THREADED COUPLER

CPD20	20mm
CPD25	25mm
CPD32	32mm
CPD40	40mm
CPD50	50mm
CPD65	65mm
CPD80	80mm
CPD100	100mm


CAMLOCK POLYPROPYLENE DUST CAP

CPDC20	20mm
CPDC25	25mm
CPDC32	32mm
CPDC40	40mm
CPDC50	50mm
CPDC65	65mm
CPDC80	80mm
CPDC100	100mm


CAMLOCK POLYPROPYLENE DUST PLUG

CPDP20	20mm
CPDP25	25mm
CPDP32	32mm
CPDP40	40mm
CPDP50	50mm
CPDP65	65mm
CPDP80	80mm
CPDP100	100mm



Code

Size

CAMLOCK ALUMINIUM MALE THREADED COUPLER

CCB20	20mm
CCB25	25mm
CCB32	32mm
CCB40	40mm
CCB50	50mm
CCB65	65mm
CCB80	80mm
CCB100	100mm
CCB125	125mm


CAMLOCK ALUMINIUM HOSE SHANK COUPLER

CCC20	20mm
CCC25	25mm
CCC32	32mm
CCC40	40mm
CCC50	50mm
CCC65	65mm
CCC80	80mm
CCC100	100mm


CAMLOCK ALUMINIUM FEMALE THREADED COUPLER

CCD20	20mm
CCD25	25mm
CCD32	32mm
CCD40	40mm
CCD50	50mm
CCD65	65mm
CCD80	80mm
CCD100	100mm


CAMLOCK ALUMINIUM HOSE SHANK ADAPTOR

CCE20	20mm
CCE25	25mm
CCE32	32mm
CCE40	40mm
CCE50	50mm
CCE65	65mm
CCE80	80mm
CCE100	100mm



Code

Size

CAMLOCK ALUMINIUM MALE THREAD ADAPTOR

CCF20	20mm
CCF25	25mm
CCF32	32mm
CCF40	40mm
CCF50	50mm
CCF65	65mm
CCF80	80mm
CCF100	100mm
CCF125	125mm


CAMLOCK ALUMINIUM DUST CAP

CCDC20	20mm
CCDC25	25mm
CCDC32	32mm
CCDC40	40mm
CCDC50	50mm
CCDC65	65mm
CCDC80	80mm
CCDC100	100mm


CAMLOCK ALUMINIUM DUST PLUG

CCDP20	20mm
CCDP25	25mm
CCDP32	32mm
CCDP40	40mm
CCDP50	50mm
CCDP65	65mm
CCDP80	80mm
CCDP100	100mm


CAMLOCK ALUMINIUM FEMALE THREADED ADAPTOR

CCA20	20mm
CCA25	25mm
CCA32	32mm
CCA40	40mm
CCA50	50mm
CCA65	65mm
CCA80	80mm
CCA100	100mm
CCA125	125mm




Code

Size

DOUBLE HOSE TAIL STANDARD AND REDUCING TYPE

DHT5050	Standard	50-50mm
DHT6363	Standard	63-63mm
DHT7563	Reducing	75-63mm
DHT7575	Standard	75-75mm
DHT9063	Reducing	90-63mm
DHT9075	Reducing	90-75mm
DHT9090	Standard	90-90mm

**SEALING WASHER**

CW20	20mm
CW25	25mm
CW32	32mm
CW40	40mm
CW50	50mm
CW65	65mm
CW80	80mm
CW100	100mm
CW125	125mm

**SPARE PARTS**

CL3264	Lever	32-64mm
CL3264S	Stainless lever for Poly	32-64mm
CL51	Lever	51mm
CL76102	Lever	76-102mm
CP3264S	Pin Stainless Steel	32-64mm
CP051SS	Pin Stainless Steel	51mm
CP076SS	Pin Stainless Steel	76mm
CP102SS	Pin Stainless Steel	102mm



Code

Size

AGRICULTURAL COUPLINGS

For use with Metric MDPE Pipe. EPTAFYLON camlock coating for very high corrosion resistance

Camlock guide is available in the resources section of the website Camlocks- Choosing the correct Camlock

		CAMLOCK	Hose tail Fits (Metric OD MD PE Pipe)
EFFLUENT HOSE SHANK COUPLER			
AGC5163	Standard	51mm	63mm
AGC6463	Reducing	64mm	63mm
AGC6475	Standard	64mm	75mm
AGC7663	Reducing	76mm	63mm
AGC7675	Reducing	76mm	75mm
AGC7690	Standard	76mm	90mm



EFFLUENT HOSE SHANK ADAPTOR

AGE5163	Standard	51mm	63mm
AGE6463	Reducing	64mm	63mm
AGE6475	Standard	64mm	75mm
AGE7663	Reducing	76mm	63mm
AGE7675	Reducing	76mm	75mm
AGE7690	Standard	76mm	90mm
AGE10090	Special	100mm	90mm



SPARE PARTS - FOR AG COUPLINGS

AGCEL	Lever only	64 - 75mm will also fit AGC5163
AGCEP	Pin only	64 - 75mm will also fit AGC5163
AGCER	Large ring only	64 - 75mm
AGCEPS	Pin Only	32 - 64mm
AGCELS	Lever Only	32-64mm
AGCELXL	Lever Only	76-100mm
AGCELL	Pin Only	76-100mm

Code

Size

RX BSP THREADED FITTINGS
HEX PLUG

RXHP15	15mm
RXHP20	20mm
RXHP25	25mm
RXHP32	32mm
RXHP40	40mm
RXHP50	50mm
RXHP80	80mm


HEX SOCKET

RXHS15	15mm
RXHS40	40mm
RXHS50	50mm


HEX CAPS

RXCP15	15mm
RXCP20	20mm
RXCP25	25mm
RXCP50	50mm
RXCP65	65mm
RXCP100	100mm


HEX NIPPLE

RXHN15	15mm
RXHN20	20mm
RXHN25	25mm
RXHN32	32mm
RXHN40	40mm
RXHN50	50mm
RXHN65	65mm
RXHN80	80mm



Code

Size

REDUCING BUSH

RXRB2015	20 x 15mm
RXRB2520	25 x 20mm
RXRB3220	32 x 20mm
RXRB3225	32 x 25mm
RXRB4020	40 x 20mm
RXRB5020	50 x 20mm
RXRB5025	50 x 25mm
RXRB5032	50 x 32mm



REDUCING HEX NIPPLE

RXRHN2015	20 x 15mm
RXRHN2515	25 x 15mm
RXRHN2520	25 x 20mm
RXRHN3220	32 x 20mm
RXRHN3225	32 x 25mm
RXRHN4025	40 x 25mm
RXRHN4032	40 x 32mm
RXRHN5020	50 x 20mm
RXRHN5025	50 x 25mm
RXRHN5032	50 x 32mm
RXRHN5040	50 x 40mm



THREADED REDUCING SOCKET (REDUCING HEX SOCKET)

RXRHS2015	20 x 15mm
RXRHS2520	25 x 20mm
RXRHS3220	32 x 20mm
RXRHS3225	32 x 25mm
RXRHS4020	40 x 20mm
RXRHS4025	40 x 25mm
RXRHS4032	40 x 32mm
RXRHS5020	50 x 20mm
RXRHS5025	50 x 25mm
RXRHS5032	50 x 32mm
RXRHS5040	50 x 40mm



TANK FITTINGS - MALE BLACK POLYPROPYLENE

RXTF15	15mm
RXTF20	20mm
RXTF25	25mm
RXTF32	32mm
RXTF40	40mm
RXTF50	50mm



Code

Size

TANK FITTINGS - MALE WHITE POLYPROPYLENE

RXTF15W	15mm
RXTF20W	20mm
RXTF25W	25mm
RXTF32W	32mm
RXTF40W	40mm
RXTF50W	50mm



THREADED HOSE TAIL

RXHT20	20mm
RXHT25	25mm
RXHT32	32mm
RXHT40	40mm



BACK NUT - BLACK

RXBN15	15mm
RXBN25	25mm
RXBN32	32mm
RXBN40	40mm



BACK NUT - WHITE

RXBN15W	15mm
RXBN20W	20mm
RXBN25W	25mm
RXBN32W	32mm
RXBN40W	40mm
RXBN50W	50mm



BACK NUT TANK INLET - BLACK

RXTTIBN15	15mm
RXTTIBN20	20mm
RXTTIBN25	25mm
RXTTIBN32	32mm
RXTTIBN40	40mm
RXTTIBN50	50mm



Code

Size

WASHER TANK INLET

RXTTIW15	15mm
RXTTIW20	20mm
RXTTIW25	25mm
RXTTIW32	32mm
RXTTIW40	40mm
RXTTIW50	50mm

**TEE**

RXTFT20	20mm
RXTFT32	32mm
RXTFT40	40mm
RXTFT50	50mm
RXTFT80	80mm

**THREADED MALE/FEMALE ELBOW**

RXTMFE15	15mm
RXTMFE20	20mm
RXTMFE25	25mm
RXTMFE32	32mm
RXTMFE40	40mm



Code

Size

GUYCO THREADED FITTINGS

Manufactured with heavy duty BSP threads and constructed from glass fibre reinforced Nylon
 Fittings are weather, termite, fungi and bacteria resistant
 UV Stabilised
 Long BSPT Threads
 Potable Water Standard Materials
 Maximum operating temperature +60°C.

GUYCO BACK NUT

GUBNL15	15mm
GUBNL20	20mm
GUBNL25	25mm
GUBNL32	32mm
GUBNL40	40mm
GUBNL50	50mm



GUYCO THREADED HEX CAP

GUC15	15mm
GUC20	20mm
GUC25	25mm
GUC32	32mm
GUC40	40mm
GUC50	50mm
GUC65	65mm
GUC80	80mm
GUC100	100mm



GUYCO THREADED ELBOW

GUE15	15mm
GUE20	20mm
GUE25	25mm
GUE32	32mm
GUE40	40mm
GUE50	50mm
GUE80	80mm
GUE100	100mm



GUYCO THREADED MALE/FEMALE ELBOW

GUMFE15	15mm
GUMFE20	20mm
GUMFE25	25mm
GUMFE32	32mm
GUMFE40	40mm
GUMFE50	50mm



Code

Size

GUYCO THREADED HEX PLUG

GUP15	15mm
GUP20	20mm
GUP25	25mm
GUP32	32mm
GUP40	40mm
GUP50	50mm
GUP65	65mm
GUP80	80mm
GUP100	100mm



GUYCO THREADED REDUCING BUSH

GURB1508	15 x 8mm
GURB2008	20 x 8mm
GURB2015	20 x 15mm
GURB2515	25 x 15mm
GURB2520	25 x 20mm
GURB3220	32 x 20mm
GURB3225	32 x 25mm
GURB4020	40 x 20mm
GURB4025	40 x 25mm
GURB4032	40 x 32mm
GURB5020	50 x 20mm
GURB5025	50 x 25mm
GURB5032	50 x 32mm
GURB5040	50 x 40mm
GURB6550	65 x 50mm
GURB8050	80 x 50mm
GURB8065	80 x 65mm
GURB10050	100 x 50mm
GURB10080	100 x 80mm



GUYCO THREADED HEX NIPPLE

GUHN15	15mm
GUHN20	20mm
GUHN25	25mm
GUHN32	32mm
GUHN40	40mm
GUHN50	50mm
GUHN65	65mm
GUHN80	80mm
GUHN100	100mm



Code

Size

GUYCO THREADED REDUCING HEX NIPPLE

GURHN2015	20 x 15mm
GURHN2515	25 x 15mm
GURHN2520	25 x 20mm
GURHN3220	32 x 20mm
GURHN3225	32 x 25mm
GURHN4020	40 x 20mm
GURHN4025	40 x 25mm
GURHN4032	40 x 32mm
GURHN5020	50 x 20mm
GURHN5025	50 x 25mm
GURHN5032	50 x 32mm
GURHN5040	50 x 40mm
GURHN8050	80 x 50mm
GURHN10050	100 x 50mm
GURHN10080	100 x 80mm


GUYCO THREADED HEX SOCKET

GUS15	15mm
GUS20	20mm
GUS25	25mm
GUS32	32mm
GUS40	40mm
GUS50	50mm


GUYCO THREADED REDUCING SOCKET

GURS2015	20 x 15mm
GURS2515	25 x 15mm
GURS2520	25 x 20mm
GURS3220	32 x 20mm
GURS3225	32 x 25mm
GURS4020	40 x 20mm
GURS4025	40 x 25mm
GURS4032	40 x 32mm
GURS5020	50 x 20mm
GURS5025	50 x 25mm
GURS5032	50 x 32mm
GURS5040	50 x 40mm



Code

Size

GUYCO THREADED TEE

GUT15	15mm
GUT20	20mm
GUT25	25mm
GUT32	32mm
GUT40	40mm
GUT50	50mm
GUT80	80mm
GUT100	100mm



GUYCO THREADED HOSE TAIL

GUMHT15	18mm
GUMHT20	20mm
GUMHT25	25mm
GUMHT32	32mm
GUMHT40	40mm
GUMHT50	50mm



GUYCO WASHER TANK INLET

GUWLR15	15mm
GUWLR20	20mm
GUWLR25	25mm
GUWLR32	32mm
GUWLR40	40mm
GUWLR50	50mm



GUYCO TANK FITTING FEMALE BLACK

GUFTFT15	15mm
GUFTFT20	20mm
GUFTFT25	25mm
GUFTFT32	32mm
GUFTFT40	40mm
GUFTFT50	50mm
GUFTFT80	80mm
GUFTFT100	100mm



Code

Size

DZR BRASS FITINGS

The Hydroflow range of brass fittings are designed specifically for use in the New Zealand plumbing industry. Compliant with all New Zealand drinking water standards.

FEMALE ELBOW

BFE15	15mm
BFE20	20mm
BFE25	25mm
BFE32	32mm
BFE40	40mm
BFE50	50mm



FEMALE TEE

BFT15	15mm
BFT20	20mm
BFT25	25mm
BFT32	32mm
BFT40	40mm
BFT50	50mm



EXTENSION SOCKET MALE/FEMALE

BSMF15		15mm
BSMF1518		15 x 18mm
BSMF1525		15 x 25mm
BSMF1532		15 x 32mm
BSMF20		20mm
BSMF2025		20 x 25mm
BSMF2032		20 x 32mm
BSMF25		25mm
BSMF32		32mm
BSMF40		40mm
BSMF50		50mm
BSMF15CP	Chrome	15mm
BSMF20CP	Chrome	20mm



Code

Size

REDUCING MALE/FEMALE SOCKET (HEXAGONAL)

BRMFS2015		20 x 15mm
BRMFS2515		25 x 15mm
BRMFS2520		25 x 20mm
BRMFS3220		32 x 20mm
BRMFS3225		32 x 25mm
BRMFS4020		40 x 20mm
BRMFS4025		40 x 25mm
BRMFS4032		40 x 32mm
BRMFS5015		50 x 15mm
BRMFS5020		50 x 20mm
BRMFS5025		50 x 25mm
BRMFS5032		50 x 32mm
BRMFS5040		50 x 40mm
BRMFS2015CP	Chrome	20 x 15mm
BRMFS2520CP	Chrome	25 x 20mm



SOCKET FULL THREAD FEMALE

BSK15		15mm
BSK20		20mm
BSK25		25mm
BSK32		32mm
BSK40		40mm
BSK50		50mm
BSK15CP	Chrome	15mm
BSK20CP	Chrome	20mm



FEMALE BRASS UNIONS

BUF25		25mm
BUF32		32mm
BUF40		40mm
BUF50		50mm

REDUCING FEMALE SOCKET

BRS2015		20 x 15mm
BRS2520		25 x 20mm
BRS3215		32 x 15mm
BRS3220		32 x 20mm
BRS3225		32 x 25mm
BRS4025		40 x 25mm
BRS4032		40 x 32mm
BRS5040		50 x 40mm



Code

Size

REDUCING BUSH

BRB1006		10 x 6mm
BRB1008		10 x 8mm
BRB1506		15 x 6mm
BRB1508		15 x 8mm
BRB1510		15 x 10mm
BRB2010		20 x 10mm
BRB2015		20 x 15mm
BRB2515		25 x 15mm
BRB2520		25 x 20mm
BRB3215		32 x 15mm
BRB3220		32 x 20mm
BRB3225		32 x 25mm
BRB4015		40 x 15mm
BRB4020		40 x 20mm
BRB4025		40 x 25mm
BRB4032		40 x 32mm
BRB5015		50 x 15mm
BRB5020		50 x 20mm
BRB5025		50 x 25mm
BRB5032		50 x 32mm
BRB5040		50 x 40mm
BRB2015CP	Chrome	20 x 15mm



PLUG WITH FLANGE

BP15		15mm
BP20		20mm
BP25		25mm
BP32		32mm
BP40		40mm
BP50		50mm
BP15CP	Chrome	15mm



CAP HEXAGONAL FEMALE

BC15		15mm
BC20		20mm
BC25		25mm
BC32		32mm
BC40		40mm
BC50		50mm
BC15CP	Chrome	15mm
BC20CP	Chrome	20mm



Code

Size

CAP NUT HEXAGONAL FEMALE

BCPN32		32mm
BCPN40		40mm
BCPN50		50mm



BACKNUT WITH FLANGE FEMALE

BNF15		15mm
BNF20		20mm
BNF20CP	Chrome	20mm
BNF25		25mm
BNF32		32mm
BNF40		40mm
BNF50		50mm



BACKNUT WITH WIDE FLANGE FEMALE

BBNWF15		15mm
BBNWF20		20mm
BBNWF20CP		20mm
BBNWF25		25mm
BBNWF32		32mm
BBNWF40		40mm
BBNWF50		50mm



REDUCING NIPPLE

BRHN1510		15 x 10mm
BRHN2015		20 x 15mm
BRHN2515		25 x 15mm
BRHN2520		25 x 20mm
BRHN3215		32 x 15mm
BRHN3220		32 x 20mm
BRHN3225		32 x 25mm
BRHN4020		40 x 20mm
BRHN4025		40 x 25mm
BRHN4032		40 x 32mm
BRHN5015		50 x 15mm
BRHN5020		50 x 20mm
BRHN5025		50 x 25mm
BRHN5032		50 x 32mm
BRHN5040		50 x 40mm
BRHN2015CP	Chrome	20 x 15mm
BRHN2520CP	Chrome	25 x 20mm



Code

Size

WASHING MACHINE NIPPLE

BWMN20		20mm
BWMN20CP	Chrome	20mm



HEX NIPPLE

BHN15		15mm
BHN20		20mm
BHN25		25mm
BHN32		32mm
BHN40		40mm
BHN50		50mm
BHN15CP	Chrome	15mm
BHN20CP	Chrome	20mm



LUG NIPPLE

BLN15		15mm
-------	--	------



HEX NIPPLE FOR FLEXIBLE HOSES

BHNFH15		15mm
BHNFH20		20mm

BRAZING BRACKET ELBOW

BBBE15	Brazing Bracket Elbow	15mm
BBBE2015	Brazing Bracket Elbow	20 x 15mm
BBBE20	Brazing Bracket Elbow	20mm
BBBE15M	Brazing Bracket Elbow Male Extension 1	15mm x 42mm
BBBE3W15	3 way	15mm

Code

Size

BRACKET ELBOW “PVC” WINGBACK FEMALE

BBEPVC15

15mm

BBEPVC20

20mm



BRAZING BRACKET TEE

BBBT15

15mm

BBBT20

20mm



BRAZING HOSE PLATE

BBHBP15

15mm

BBHBP20

20mm



Code

Size

PLEASE NOTE CROX FITTINGS ARE NOT SUITABLE FOR USE WITH GAS

CROX ELBOW WITH 2 NUTS (COPPER TO COPPER)

BCE15		15mm
BCE20		20mm
BCE25		25mm
BCE15CP	Chrome	15mm
BCE20CP	Chrome	20mm



CROX FLANGED MALE ELBOW WITH 1 NUT (COPPER TO MALE IRON)

BCFME15		15mm
BCFME20		20mm
BCFME25		25mm



CROX MALE AND FEMALE ELBOW WITH 1 NUT (COPPER TO FEMALE IRON)

BCFE15		15mm
BCFE20		20mm
BCFE25		25mm



CROX FEMALE BRACKET ELBOW WITH 1 NUT

BCBE15		15mm
BCBE20		20mm
BCBE15CP	Chrome	15mm



SECTION 3


CAMLOCKS & THREADED PIPE FITTINGS

Code

Size

CROX MALE TEE WITH 3 NUTS

BCT15	15mm
BCT20	20mm
BCT25	25mm
	A x B x C
BCT201520	20 x 15 x 20mm
BCT202015	20 x 20 x 15mm




CROX MALE AND FEMALE BRACKET TEE WITH 2 NUTS

BFTC15	15mm
BFTC20	20mm



CROX NUT

BCN15	15mm
BCN20	20mm
BCN25	25mm
BCN32	32mm
BCN40	40mm
BCN50	50mm
BCN15CP	15mm Chrome
BCN20CP	20mm Chrome
BCN25CP	25mm Chrome



Code

Size

BRASS BARREL NIPPLE TAPER THREAD

BBN1532	15 x 32mm
BBN1535	15 x 35mm
BBN1540	15 x 40mm
BBN1545	15 x 45mm
BBN1550	15 x 50mm
BBN1560	15 x 60mm
BBN1565	15 x 65mm
BBN1570	15 x 70mm
BBN1575	15 x 75mm
BBN1580	15 x 80mm
BBN1590	15 x 90mm
BBN15100	15 x 100mm
BBN15150	15 x 150mm
BBN2032	20 x 32mm
BBN2035	20 x 35mm
BBN2040	20 x 40mm
BBN2045	20 x 45mm
BBN2050	20 x 50mm
BBN2060	20 x 60mm
BBN2065	20 x 65mm
BBN2070	20 x 70mm
BBN2075	20 x 75mm
BBN2080	20 x 80mm
BBN2085	20 x 85mm
BBN2090	20 x 90mm
BBN20100	20 x 100mm
BBN20115	20 x 115mm
BBN20150	20 x 150mm
BBN2540	25 x 40mm
BBN2550	25 x 50mm
BBN2560	25 x 60mm
BBN2565	25 x 65mm
BBN2570	25 x 70mm
BBN2575	25 x 75mm



Code

Size

BBN2580	25 x 80mm
BBN2590	25 x 90mm
BBN25100	25 x 100mm
BBN25150	25 x 150mm
BBN3240	32 x 40mm
BBN3250	32 x 50mm
BBN3260	32 x 60mm
BBN3265	32 x 65mm
BBN3270	32 x 70mm
BBN3280	32 x 80mm
BBN3290	32 x 90mm
BBN32100	32 x 100mm
BBN32150	32 x 150mm
BBN4050	40 x 50mm
BBN4060	40 x 60mm
BBN4070	40 x 70mm
BBN4080	40 x 80mm
BBN4090	40 x 90mm
BBN40100	40 x 100mm
BBN40150	40 x 150mm
BBN5050	50 x 50mm
BBN5060	50 x 60mm
BBN5070	50 x 70mm
BBN5080	50 x 80mm
BBN5090	50 x 90mm
BBN50100	50 x 100mm
BBN50150	50 x 150mm
BBN50150T	Threaded one end only 50 x 150mm



SECTION 3

CAMLOCKS & THREADED PIPE FITTINGS

Code

Size

BRASS THREAD NON DZR

BT15100	15 x 100mm
BT15200	15 x 200mm
BT15	15 x 600mm
BT20100	20 x 100mm
BT20200	20 x 200mm
BT20	20 x 600mm
BT25100	25 x 100mm
BT25200	25 x 200mm
BT25	25 x 600mm
BT32100	32 x 100mm
BT32200	32 x 200mm
BT32	32 x 600mm
BT40100	40 x 100mm
BT40200	40 x 200mm
BT40	40 x 600mm
BT50100	50 x 100mm
BT50200	50 x 200mm
BT50	50 x 600mm



STRAIGHT UNION

Three Piece Straight Union, Nickle Plated

SU15N	15mm
SU20N	20mm
SU25N	25mm
SU32N	32mm
SU40N	40mm
SU50N	50mm



Code

Size

BRASS COMPRESSION FITTINGS - NON DZR - NOT SUITABLE FOR GAS

- These fittings are easy to assemble requiring no soldering, flaring.
- EN1254-12
- Non DZR Brass
- Male End and Female End are Taper Thread
- Suitable for NZ Copper to NZS3501

STRAIGHT COUPLING

BXS15	15mm
BXS20	20mm
BXS25	25mm
BXS32	32mm
BXS40	40mm
BXS50	50mm



REDUCING COUPLIG

	A x B
BXS2015	20 x 15mm
BXS2515	25 x 15mm
BXS2520	25 x 20mm
BXS3220	32 x 20mm
BXS3225	32 x 25mm

BRASS COMPRESSION FITTINGS - NON DZR - NOT SUITABLE FOR GAS

CROSS OVER

BXC15	15mm
BXC20	20mm
BXC25	25mm



REPAIR COUPLING C X C

BXRC15	15mm
BXRC20	20mm



Code

Size

BRASS COMPRESSION FITTINGS - NON DZR - NOT SUITABLE FOR USE WITH GAS

MALE STRAIGHT COUPLING C X MI

BXMS15	15mm
BXMS1520	15 x 20mm
BXMS20	20mm
BXMS25	25mm
BXMS32	32mm
BXMS40	40mm
BXMS50	50mm



FEMALE STRAIGHT COUPLING C X FI

BXFS15	15mm
BXFS1520	15 x 20mm
BXFS20	20mm
BXFS25	25mm



STOP END

BXSE15	15mm
BXSE20	20mm
BXSE25	25mm
BXSE32	32mm
BXSE40	40mm
BXSE50	50mm



ELBOW 90° C X C

BXE15	15mm
BXE20	20mm
BXE2015	20 x 15mm
BXE25	25mm
BXE2515	25 x 15mm
BXE2520	25 x 20mm
BXE32	32mm
BXE40	40mm
BXE50	50mm



Code

Size

BRASS COMPRESSION FITTINGS - NON DZR - NOT SUITABLE FOR USE WITH GAS

MALE ELBOW 90° C X MI

BXME15	15mm
BXME1520	15 x 20mm
BXME20	20mm
BXME2025	20 x 25mm
BXME25	25mm



FEMALE ELBOW 90° C X FI

BXFE15	15mm
BXFE1520	15 x 20mm
BXFE20	20mm
BXFE2025	20 x 25mm
BXFE25	25mm



ELBOW WALL PLATE (3 HOLES) C X FI

BXWP15	15mm
BXWP20	20mm



SWIVEL ELBOW

BXSW15	15mm
--------	------



TEE C X C X C


BXT15	15mm
BXT20	20mm
BXT25	25mm
BXT32	32mm
BXT40	40mm
BXT50	50mm



Code

Size

	A	B	C
BXT152015	15	20	15
BXT201515	20	15	15
BXT201520	20	15	20
BXT202015	20	20	15
BXT202520	20	25	20
BXT251515	25	15	15
BXT252020	25	20	20
BXT252520	25	25	20
BXT251525	25	15	25
BXT252025	25	20	25
BXT321532	32	15	32
BXT322032	32	20	32
BXT322532	32	25	32
BXT402540	40	25	40



BRASS COMPRESSION FITTINGS - NON DZR - NOT SUITABLE FOR USE WITH GAS

STRAIGHT SWIVEL COUPLING

	A x B
BXSSC15	15mm
BXSSC20	20mm
BXSSC1520	15 x 20mm
BXSSC2015	20 x 15mm



MALE TEE C X C X MI

BXMT20	20mm
BXMT25	25mm



FEMALE TEE C X C X FI

BXFT151515	15 x 15 x 15mm
BXFT201515	20 x 15 x 15mm
BXFT202020	20 x 20 x 20mm
BXFT201520	20 x 15 x 20mm



Code

Size

NUT

BXN15	15mm
BXN20	20mm
BXN25	25mm
BXN32	32mm
BXN40	40mm
BXN50	50mm



BRASS COMPRESSION FITTINGS - NON DZR - NOT SUITABLE FOR USE WITH GAS

RING (OLIVE/GLAND)

BXRG15	15mm
BXRG20	20mm
BXRG25	25mm
BXRG32	32mm
BXRG40	40mm
BXRG50	50mm



REDUCING SET

BXRS2015	20 x 15mm
BXRS2515	25 x 15mm
BXRS2520	25 x 20mm
BXRS3215	32 x 15mm
BXRS3220	32 x 20mm
BXRS3225	32 x 25mm
BXRS4015	40 x 15mm
BXRS4020	40 x 20mm
BXRS4025	40 x 25mm
BXRS4032	40 x 32mm
BXRS5015	50 x 15mm
BXRS5020	50 x 20mm
BXRS5025	50 x 25mm
BXRS5032	50 x 32mm
BXRS5040	50 x 40mm



Code

Size

GALVANISED FITTINGS

ELBOWS 90°

GE0890	8mm
GE1090	10mm
GE1590	15mm
GE2090	20mm
GE2590	25mm
GE3290	32mm
GE4090	40mm
GE5090	50mm
GE6590	65mm
GE8090	80mm
GE10090	100mm



ELBOWS 45°

GE1545	15mm
GE2045	20mm
GE2545	25mm
GE3245	32mm
GE4045	40mm
GE5045	50mm
GE6545	65mm
GE8045	80mm
GE10045	100mm



M & F ELBOWS 90°

GMFE06	6mm
GMFE08	8mm
GMFE10	10mm
GMFE15	15mm
GMFE20	20mm
GMFE25	25mm
GMFE32	32mm
GMFE40	40mm
GMFE50	50mm
GMFE65	65mm
GMFE80	80mm
GMFE100	100mm



Code

Size

M & F ELBOWS 45°

GMFE1545	15mm
GMFE2045	20mm
GMFE2545	25mm
GMFE3245	32mm
GMFE4045	40mm
GMFE5045	50mm

**TEE**

GT06	6mm
GT08	8mm
GT10	10mm
GT15	15mm
GT20	20mm
GT25	25mm
GT32	32mm
GT40	40mm
GT50	50mm
GT65	65mm
GT80	80mm
GT100	100mm

**ROUND CAPS**

GC08	8mm
GC10	10mm
GC15	15mm
GC20	20mm
GC25	25mm
GC32	32mm
GC40	40mm
GC50	50mm
GC65	65mm
GC80	80mm
GC100	100mm



Code

Size

SOCKETS

GS08	8mm
GS10	10mm
GS15	15mm
GS20	20mm
GS25	25mm
GS32	32mm
GS40	40mm
GS50	50mm
GS65	65mm
GS80	80mm
GS100	100mm



GALV WROUGHT SOCKET FEMALE

GWS08	8mm
GWS10	10mm
GWS15	15mm
GWS20	20mm
GWS25	25mm
GWS32	32mm
GWS40	40mm
GWS50	50mm
GWS65	65mm
GWS80	80mm
GWS100	100mm



5 ° UNIONS

G5U15	15mm
G5U20	20mm
G5U25	25mm
G5U32	32mm
G5U40	40mm
G5U50	50mm
G5U65	65mm
G5U80	80mm
G5U100	100mm



Code

Size

21 ° DEFLECTION UNIONS (MAC OR NAVY UNION)

GDU15
 GDU20
 GDU25
 GDU32
 GDU40
 GDU50


CONICAL UNION BRASS TO IRON (STRAIGHT FACED)

GCUB15	15mm
GCUB20	20mm
GCUB25	25mm
GCUB32	32mm
GCUB40	40mm
GCUB50	50mm
GCUB65	65mm
GCUB80	80mm
GCUB100	100mm


ROUND FLANGES (UNDRILLED)

GF15	15mm
GF20	20mm
GF25	25mm
GF32	32mm
GF40	40mm
GF50	50mm
GF65	65mm
GF80	80mm
GF100	100mm


TABLE FLANGES - FEMALE BSP THREAD


GF40D	Table D	40mm
GF50D	Table D	50mm
GF80E	Table E	80mm
GF100D	Table D	100mm
GF100E	Table E	100mm

Code

Size

REDUCING BUSHES

GRB0806	8 x 6mm
GRB1006	10 x 6mm
GRB1008	10 x 8mm
GRB1506	15 x 6mm
GRB1508	15 x 8mm
GRB1510	15 x 10mm
GRB2008	20 x 8mm
GRB2010	20 x 10mm
GRB2015	20 x 15mm
GRB2508	20 x 8mm
GRB2510	25 x 10mm
GRB2515	25 x 15mm
GRB2520	25 x 20mm
GRB3215	32 x 15mm
GRB3220	32 x 20mm
GRB3225	32 x 25mm
GRB4015	40 x 15mm
GRB4020	40 x 20mm
GRB4025	40 x 25mm
GRB4032	40 x 32mm
GRB5015	50 x 15mm
GRB5020	50 x 20mm
GRB5025	50 x 25mm
GRB5032	50 x 32mm
GRB5040	50 x 40mm
GRB6525	65 x 25mm
GRB6540	65 x 40mm
GRB6550	65 x 50mm
GRB8032	80 x 32mm
GRB8040	80 x 40mm
GRB8050	80 x 50mm
GRB8065	80 x 65mm
GRB10050	100 x 50mm
GRB10065	100 x 65mm
GRB10080	100 x 80mm
GRB150100	150 x 100mm



Code

Size

BACK NUTS

GBNU15	15mm
GBNU20	20mm
GBNU25	25mm
GBNU32	32mm
GBNU40	40mm
GBNU50	50mm



REDUCING SOCKETS

GRS1008	10 x 8mm
GRS1508	15 x 8mm
GRS1510	15 x 10mm
GRS2008	20 x 8mm
GRS2010	20 x 10mm
GRS2015	20 x 15mm
GRS2510	25 x 10mm
GRS2515	25 x 15mm
GRS2520	25 x 20mm
GRS3215	32 x 15mm
GRS3220	32 x 20mm
GRS3225	32 x 25mm
GRS4015	40 x 15mm
GRS4020	40 x 20mm
GRS4025	40 x 25mm
GRS4032	40 x 32mm
GRS5015	50 x 15mm
GRS5020	50 x 20mm
GRS5025	50 x 25mm
GRS5032	50 x 32mm
GRS5040	50 x 40mm
GRS6540	65 x 40mm
GRS6550	65 x 50mm
GRS8050	80 x 50mm
GRS8065	80 x 65mm
GRS10050	100 x 50mm
GRS10065	100 x 65mm
GRS10080	100 x 80mm



Code

Size

SOCKET TAPERED

GST15	15mm
GST20	20mm
GST25	25mm
GST32	32mm
GST40	40mm
GST50	50mm



REDUCING ELBOWS 90°

GRE2015	20 x 15mm
GRE2510	25 x 10mm
GRE2515	25 x 15mm
GRE2520	25 x 20mm
GRE3215	32 x 15mm
GRE3220	32 x 20mm
GRE3225	32 x 25mm
GRE4020	40 x 20mm
GRE4025	40 x 25mm
GRE4032	40 x 32mm
GRE5015	50 x 15mm
GRE5020	50 x 20mm
GRE5025	50 x 25mm
GRE5032	50 x 32mm

REDUCING TEES

	End x Branch x End
GRT1508	15 x 08 x 15mm
GRT1510	15 x 10 x 15mm
GRT2015	20 x 15 x 20mm
GRT2510	25 x 10 x 25mm
GRT2515	25 x 15 x 25mm
GRT2520	25 x 20 x 25mm
GRT253225	25 x 32 x 25mm
GRT3210	32 x 10 x 32mm
GRT3215	32 x 15 x 32mm
GRT3220	32 x 20 x 32mm
GRT3225	32 x 25 x 32mm
GRT3250	32 x 50 x 32mm
GRT321525	32 x 15 x 25mm
GRT322525	32 x 25 x 25mm
GRT323225	32 x 32 x 25mm
GRT324032	32 x 40 x 32mm
GRT4015	40 x 15 x 40mm



Code

Size

GRT4020	40 x 20 x 40mm
GRT4025	40 x 25 x 40mm
GRT4032	40 x 32 x 40mm
GRT401532	40 x 15 x 32mm
GRT5015	50 x 15 x 50mm
GRT5020	50 x 20 x 50mm
GRT5025	50 x 25 x 50mm
GRT5032	50 x 32 x 50mm
GRT5040	50 x 40 x 50mm
GRT501540	50 x 15 x 40mm
GRT502040	50 x 20 x 40mm
GRT502532	50 x 25 x 32mm
GRT503232	50 x 32 x 32mm
GRT505025	50 x 50 x 25mm
GRT505032	50 x 50 x 32mm
GRT6525	65 x 25 x 65mm
GRT6550	65 x 50 x 65mm
GRT8050	80 x 50 x 80mm




REDUCING HEX NIPPLES

GRHN1508	15 x 8mm
GRHN1510	15 x 10mm
GRHN2015	20 x 15mm
GRHN2515	25 x 15mm
GRHN2520	25 x 20mm
GRHN3220	32 x 20mm
GRHN3225	32 x 25mm
GRHN4025	40 x 25mm
GRHN4032	40 x 32mm
GRHN5025	50 x 25mm
GRHN5032	50 x 32mm
GRHN5040	50 x 40mm
GRHN8065	80 x 65mm



BARREL NIPPLES



GBN0690	6 x 90mm
GBN0830	8 x 30mm
GBN0850	8 x 50mm
GBN0860	8 x 60mm
GBN0890	8 x 90mm
GBN1050	10 x 50mm
GBN1090	10 x 90mm
GBN1530	15 x 30mm
GBN1540	15 x 40mm
GBN1550	15 x 50mm



Code

Size

GBN1560	15 x 60mm
GBN1565	15 x 65mm
GBN1570	15 x 70mm
GBN1580	15 x 80mm
GBN1590	15 x 90mm
GBN2030	20 x 30mm
GBN2040	20 x 40mm
GBN2050	20 x 50mm
GBN2060	20 x 60mm
GBN2070	20 x 70mm
GBN2080	20 x 80mm
GBN2090	20 x 90mm
GBN2540	25 x 40mm
GBN2550	25 x 50mm
GBN2560	25 x 60mm
GBN2570	25 x 70mm
GBN2580	25 x 80mm
GBN2590	25 x 90mm
GBN3250	32 x 50mm
GBN3260	32 x 60mm
GBN3270	32 x 70mm
GBN3280	32 x 80mm
GBN3290	32 x 90mm
GBN4050	40 x 50mm
GBN4060	40 x 60mm
GBN4070	40 x 70mm
GBN4080	40 x 80mm
GBN4090	40 x 90mm
GBN5040	50 x 40mm
GBN5050	50 x 50mm
GBN5060	50 x 60mm
GBN5070	50 x 70mm
GBN5080	50 x 80mm
GBN5090	50 x 90mm
GBN6580	65 x 80mm
GBN6590	65 x 90mm
GBN65100	65 x 100mm
GBN8040	80 x 40mm
GBN8060	80 x 60mm
GBN8070	80 x 70mm
GBN8080	80 x 80mm
GBN8090	80 x 90mm
GBN80100	80 x 100mm
GBN10080	100 x 80mm
GBN10090	100 x 90mm



Code

Size

LONG PIECE - THREADED

GLP15100	15 x 100mm
GLP15120	15 x 120mm
GLP15150	15 x 150mm
GLP15200	15 x 200mm
GLP15300	15 x 300mm
GLP15450	15 x 450mm
GLP15500	15 x 500mm
GLP20100	20 x 100mm
GLP20120	20 x 120mm
GLP20150	20 x 150mm
GLP20200	20 x 200mm
GLP20300	20 x 300mm
GLP20450	20 x 450mm
GLP20500	20 x 500mm
GLP25100	25 x 100mm
GLP25130	25 x 130mm
GLP25150	25 x 150mm
GLP25180	25 x 180mm
GLP25200	25 x 200mm
GLP25300	25 x 300mm
GLP25450	25 x 450mm
GLP25500	25 x 500mm
GLP32150	32 x 150mm
GLP32300	32 x 300mm
GLP32450	32 x 450mm
GLP32500	32 x 500mm
GLP40150	40 x 150mm
GLP40300	40 x 300mm
GLP40450	40 x 450mm
GLP40500	40 x 500mm
GLP50100	50 x 100mm
GLP50150	50 x 150mm
GLP50200	50 x 200mm
GLP50300	50 x 300mm
GLP50450	50 x 450mm
GLP50500	50 x 500mm



LONG THREADS

GLT15	15mm
GLT20	20mm
GLT25	25mm
GLT32	32mm
GLT40	40mm
GLT50	50mm



Code

Size

LONG SCREW

GLS15	15mm
GLS20	20mm
GLS25	25mm
GLS32	32mm
GLS40	40mm
GLS50	50mm



HEX NIPPLES

GHN08	8mm
GHN10	10mm
GHN15	15mm
GHN20	20mm
GHN25	25mm
GHN32	32mm
GHN40	40mm
GHN50	50mm
GHN65	65mm
GHN80	80mm
GHN100	100mm
GHN150	150mm



F & F BENDS

GFB15	15mm
GFB20	20mm
GFB25	25mm
GFB32	32mm
GFB40	40mm
GFB50	50mm
GFB65	65mm
GFB80	80mm
GFB100	100mm



M & F BENDS

GMFB08	8mm
GMFB15	15mm
GMFB20	20mm
GMFB25	25mm
GMFB32	32mm
GMFB40	40mm
GMFB50	50mm
GMFB65	65mm
GMFB80	80mm
GMFB100	100mm



Code

Size

WROUGHT BENDS (LONG SCREWED AND SOCKETED)

GWB08	8mm
GWB15	15mm
GWB20	20mm
GWB25	25mm
GWB32	32mm
GWB40	40mm
GWB50	50mm
GWB65	65mm
GWB80	80mm
GWB100	100mm



CROSSES

GCR15	15mm
GCR20	20mm
GCR25	25mm
GCR32	32mm
GCR40	40mm
GCR50	50mm
GCR65	65mm
GCR80	80mm
GCR100	100mm



PLUG

GP06	6mm
GP08	8mm
GP10	10mm
GP15	15mm
GP20	20mm
GP25	25mm
GP32	32mm
GP40	40mm
GP50	50mm
GP65	65mm
GP80	80mm
GP100	100mm
GP150	150mm



Code

Size

HOSE TAILS GALV. STEEL

HTGS15	15mm
HTGS20	20mm
HTGS25	25mm
HTGS32	32mm
HTGS40	40mm
HTGS50	50mm
HTGS80	80mm

**PIPE MEDIUM PLAIN ENDED**

GPMPE15	15mm
GPMPE20	20mm
GPMPE25	25mm
GPMPE32	32mm
GPMPE40	40mm
GPMPE50	50mm

(Extra freight charge may apply)


PIPE MEDIUM SCREWED & SOCKETED

GPMSS15	15mm
GPMSS20	20mm
GPMSS25	25mm
GPMSS32	32mm
GPMSS40	40mm
GPMSS50	50mm
GPMSS65	65mm
GPMSS80	80mm
GPMSS90	90mm
GPMSS100	100mm
GPMSS150	150mm
GPMSS200	200mm

(Extra freight charge may apply)

GALVANISED PIPE SADDLES

GPS15	15mm
GPS20	20mm
GPS25	25mm
GPS32	32mm
GPS40	40mm
GPS50	50mm
GPS65	65mm
GPS80	80mm
GPS100	100mm



Code

Size

MUNZING RING BASE PLATE

MZRBP* (Fits ROD10/2 Only)




MUNZING RINGS (PIPE HANGERS - HOT DIPPED GALVANISED)

MZR15	15mm
MZR20	20mm
MZR25	25mm
MZR32	32mm
MZR40	40mm
MZR50	50mm
MZR65	65mm
MZR80	80mm
MZR100	100mm
MZR150	150mm




MUNZING RINGS (PIPE HANGERS) RUBBER INSULATED

MZRR15	15mm
MZRR20	20mm
MZRR25	25mm
MZRR32	32mm
MZRR40	40mm



RODS ZINC PLATED 2 METRE LENGTHS

ROD10/2	10mm
ROD12/2	12mm



Code

Size

RIKEN GALVANISED COMPRESSION FITTINGS

For general use, water supply and hot water piping as well as other piping which requires some expansion and contraction in agricultural farms and houses, sprinklers, construction, machinery and equipment.

- Easy Connection (connected directly to Non Threaded Pipes using a compression seal).
- Total utilisation of pipe strength
- Highly resistant to expansion, contraction, vibration and deflection.
- Easy connection with pipes of dissimilar materials, such as steel, PVC, Polyethylene pipes etc
- 0.5° to 60°C

ADAPTOR FEMALE (COUPLER)

GLAAF15	15mm
GLAAF20	20mm
GLAAF25	25mm
GLAAF32	32mm
GLAAF40	40mm
GLAAF50	50mm
GLAAF65	65mm
GLAAF80	80mm



ADAPTOR MALE (COUPLER)

GLAAM15	15mm
GLAAM20	20mm
GLAAM25	25mm
GLAAM32	32mm
GLAAM40	40mm
GLAAM50	50mm
GLAAM65	65mm
GLAAM80	80mm



STANDARD COUPLING

GLAS65	65mm
GLAS80	80mm



LONG COUPLING (GRIP RINGS ON BOTH SIDES)

GLASSS15	15mm
GLASSS20	20mm
GLASSS25	25mm
GLASSS32	32mm
GLASSS40	40mm
GLASSS50	50mm



Code

Size

GALV L/A COUPLING (VIKING) -NO GRIP RING

GLA15	15mm
GLA20	20mm
GLA25	25mm
GLA32	32mm
GLA40	40mm
GLA50	50mm


TEE WITH FEMALE BSP BRANCH

GLAT15	15mm
GLAT20	20mm
GLAT25	25mm
GLAT32	32mm
GLAT40	40mm
GLAT50	50mm
GLAT65	65mm
GLAT80	80mm


TEE WITH NUTS

GLATN15	15mm
GLATN20	20mm
GLATN25	25mm
GLATN32	32mm
GLATN40	40mm
GLATN50	50mm

